

CENTER for JUDICIAL ACCOUNTABILITY, INC.

P.O. Box 69, Gedney Station
White Plains, New York 10605-0069

Tel. (914) 421-1200
Fax (914) 428-4994

E-Mail: judgewatch@aol.com
Web site: judgewatch.org

Elena Ruth Sassower, Coordinator

BY FAX: 212-541-4630 [8 pages]

January 23, 2002


Chairman James F. Gill
First Department Judicial Screening Committee
c/o Robinson, Silverman, Pearce, Aronsohn & Berman
1290 Avenue of the Americas
New York, New York 10104

RE: (1) On-the-Bench Misconduct by Appellate Division, First Department Justices Milton L. Williams, Richard T. Andrias, and John T. Buckley, Disqualifying Them from Consideration for Appointment as Presiding Justice of the Appellate Division, First Department; and
(2) Informational Requests

Dear Chairman Gill:

I have received no response to the enclosed letter, faxed at 11:35 a.m. yesterday, to the attention of Austin Campriello and Victoria Becker – for whom, additionally, I left voice mail messages on each of their answering machines at approximately 10:50 a.m. and 10:55 a.m.

Yours for a quality judiciary,



ELENA RUTH SASSOWER, Coordinator
Center for Judicial Accountability, Inc. (CJA)

Enclosure

P.S. The letter herein faxed makes two non-substantive changes: replaces “lacked standing” for “had ‘no standing’” on page 2; and adds “Enclosures (4)” to page 3.

EX 'I-1'

CCOUNTABILITY, INC.

-1200
-4994

E-Mail: judgewatch@aol.com
Web site: judgewatch.org

for Departmental Judicial Screening Committee

nan

at by Appellate Division, First Department
Richard T. Andrias, and John T. Buckley,
consideration for Appointment as Presiding
ion, First Department; and

ixed at 11:35 a.m. yesterday, to the attention
n, additionally, I left voice mail messages on
10:50 a.m. and 10:55 a.m.

for a quality judiciary,

Ruth Sassower

RUTH SASSOWER, Coordinator
Center for Judicial Accountability, Inc. (CJA)

TRANSMISSION VERIFICATION REPORT

TIME : 01/23/2002 08:46
NAME : CJA
FAX : 9144284994
TEL : 9144211200

DATE, TIME	01/23 08:41
FAX NO./NAME	12125414630
DURATION	00:04:14
PAGE(S)	08
RESULT	OK
MODE	STANDARD
	ECM

Enclosure

P.S. The letter herein faxed makes two non-substantive changes: replaces "lacked standing" for "had 'no standing'" on page 2; and adds "Enclosures (4)" to page 3.